

IAPMO R&T OCEANA

1040 Dandenong Road, Carnegie, VIC 3163 AUSTRALIA



IAPMO R&T Oceana is a product certification body which inspects and arranges for the independent laboratory testing of samples taken from the manufacturer's stock or from the market or a combination of both, to verify compliance of the requirements of applicable Standards and Specifications. This activity is coupled with periodic surveillance of the manufacturer's factory and any major subcontractor's site/s as well as the assessment of the manufacturer's Quality Assurance System. This certification is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO R&T Oceana of the product acceptance by Authorities Having Jurisdiction.

CERTIFICATE OF CONFORMITY

IAPMO R&T Oceana hereby grants to:

Fernco (Australia) Pty Limited

A.B.N.: 86 115 372 480

PO Box 887, Mona Vale, NSW, Australia, 1660

the right to use the WaterMark in accordance with the ABCB Manual for the WaterMark Certification Scheme; Australian Standards; WaterMark Technical Specifications; and the Plumbing Code of Australia; only in respect of the certified product as described in the WaterMark Certificate of Conformity – Schedule of Certified Product (Refer also IAPMO Product Listing Directory). The Certificate is granted subject to the rules governing the WaterMark Certification Scheme and the Terms and Conditions of the Approved User Agreement and IAPMO Oceana's WaterMark Governance Rules.

Evaluated to:

AS/NZS 4327:1995 Metal-banded flexible couplings for low-pressure applications

Manufacturer:

Refer to Licence Holder

Certificate No.: WM-022225_04

Certification Date: 5 April 2019

First Certified: 5 April 2012

Expiry Date: 4 April 2024

Chief Executive Officer of the IAPMO Group

This WaterMark Certificate of Conformity is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO R&T Oceana, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. This Certificate can only be reproduced in its entirety. Any alteration of this certificate could be grounds for revocation of this certification.

"This certificate is issued by a JAS-ANZ accredited Conformity Assessment Body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate".

WATERMARK CERTIFICATE OF CONFORMITY

SCHEDULE OF CERTIFIED PRODUCT

Licence Holder: Fernco (Australia) Pty Ltd

Address: P O Box 887
Mona Vale NSW
Australia 1660

A.B.N.: 86 115 372 480

Manufacturer: Refer to Licence holder

Licence No.: WM-022225

Certification Date: 5-Apr-19

Expiry Date: 4-Apr-24

First Certified: 5-Apr-12

Standard/s: AS/NZS 4327:1995

Metal-banded flexible couplings for low pressure applications

Std/Spec: AS/NZS 4327:1995

Licence No.: WM-022225

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	Flexseal Standard Coupling	SC115A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC23/65 BC17/76 BC08/95 BC06/102	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	100-115	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC120A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC23/65 BC27/65 BC17/76 BC08/95 BC12/95 BC06/102 BC08/105	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	110-121	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC137A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC27/65 BC12/95 BC08/105 BC08/115 MB100	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	120-137	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	Flexseal Standard Coupling	SC150A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC20/105 BC08/115 BC15/115 BC12/125 BC07/132 MB100	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	125-150	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC165A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC20/105 BC15/115 BC12/125 BC07/132	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	140-165	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC175A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC19/132 BC04/160	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	150-175	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC185A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC19/132 BC04/160 BC08/160 BC08/170	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	160-185	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC200A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC08/160 BC16/164 BC12/166 BC08/170 BC06/178 BC08/180 MB150	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	175-200	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC215A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes Optional Bushes BC16/164 BC12/166 BC06/178 BC08/180 BC08/200	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	190 - 215	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	Flexseal Standard Coupling	SC225A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC26/168 BC08/200	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	200 - 225	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC250A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	225 - 250	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC265A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	240 - 265	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC275A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC33/205	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	250 - 275	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC290A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC33/205 BC08/265	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	265 - 290	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC310A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	285 - 310	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC320A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	295 - 320	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	Flexseal Standard Coupling	SC335A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	305 - 335	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC345A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	315 - 345	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC360A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	340 - 360	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC385A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	355 - 385	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	Flexseal Standard Coupling	SC410A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	385 - 410	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC425A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	400 - 425	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC430A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	405 - 430	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC445A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	420 - 445	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	Flexseal Standard Coupling	SC465A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	435 - 465	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC490A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	465 - 490	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC510A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	480 - 510	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC525A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	495 - 525	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	Flexseal Standard Coupling	SC540A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	510 - 540	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC550A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	520 - 550	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC560A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	530 - 560	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Coupling	SC580A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	555 - 580	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	Flexseal Standard Coupling	SC600A	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	570 - 600	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC225WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC26/168 BC08/200	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	200 - 225	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC290WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC33/205 BC08/265	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	265 - 290	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC310WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	285 - 310	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC320WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	295 - 320	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	Flexseal Standard Extra wide Coupling	SC335WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	305 - 335	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC345WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	315 - 345	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC360WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	340 - 360	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC385WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	355 - 385	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	Flexseal Standard Extra wide Coupling	SC410WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	385 - 410	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC425WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	400 - 425	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC430WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	405 - 430	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC445WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	420 - 445	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	Flexseal Standard Extra wide Coupling	SC465WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	435 - 465	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC490WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	465 - 490	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC510WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	480 - 510	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC525WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	495 - 525	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	Flexseal Standard Extra wide Coupling	SC540WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	510 - 540	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC550WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	520 - 550	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC560WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	530 - 560	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Standard Extra wide Coupling	SC580WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	555 - 580	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	Flexseal Standard Extra wide Coupling	SC600WA	Flexible coupling (metal-banded)	Flexible standard rubber coupling with shear band for drainage use only Optional Bushes BC04/*** BC08/*** BC12/*** BC16/*** BC24/*** BC32/***	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	570 - 600	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC633A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/Cu/PE/Gal	53-63/40-50	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC1201A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	105-120/35-45	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC1225A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	110-122/48-56	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC1226A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	110-122/60-68	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC1221A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	110-122/80-95	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC5144A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	110-125/100-115	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC1361A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	121-136/80-95	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC1362A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	121-136/100-115	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC4000A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	121-136/110-121	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC1452A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	130-145/110-125	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC 1552A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	140-155/90-105	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	FlexseL Adaptor Coupling	AC1602A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	144-160/110-122	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC1603A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	144-160/121-136	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC1603Ao/s	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	144-160/117-132	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC 1702A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	155-170/110-125	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC1703A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	155-170/130-145	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC1922A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	170-192/110-122	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC1923A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	170-192/121-136	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC1924A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	170-192/144-160	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2000A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	180-200/130-145	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC6001A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	180-200/144-160	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2001A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	180-200/155-170	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC6000A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	180-200/160-180	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2100A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	185-210/100-115	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2101A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	185-210/160-180	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	FlexseL Adaptor Coupling	AC2152Ao/s	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	195-215/100-115	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2154A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	190-215/150-165	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2254A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	200-225/160-175	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2352A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	210-235/110-122	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2353A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	210-235/121-136	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2354A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	210-235/144-160	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2355A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	210-235/170-192	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2356A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	210-235/190-215	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2654A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	240-265/144-160	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2655A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	240-265/170-192	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2656A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	240-265/190-215	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2657A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	240-265/210-235	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC 2754A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	250-275/160-175	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2756A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	250-275//200-225	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	FlexseL Adaptor Coupling	AC9001A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	260-285/180-205	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC9002A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	260-280/240-260	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2904A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	265-290/144-160	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2907A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	265-290/210-235	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2908A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	265-290/235-260	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC2956Ao/s	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	270-295/185-210	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC3108WA	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	285-310/240-265	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC3204A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	295-320/144-160	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC3205A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	295-320/170-192	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC3207A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	295-320/210-235	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC3208A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	295-320/240-265	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC3209A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	295-320/265-290	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC3351Ao/s	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	310-335/180-205	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC3608A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	335-360/240-265	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	FlexseL Adaptor Coupling	AC 3609A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	335-360/265-290	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC3600A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	335-360/295-320	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC3858A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	360-385/240-265	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC3859A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	360-385/265-290	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC3850A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	360-385/300-325	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC4208A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	395-420/240-265	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	FlexseL Adaptor Coupling	AC4209A	Flexible coupling (metal-banded)	Flexible adaptor coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	395-420/265-290	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Drain Coupling	DC50A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/Cu/PE/Gal	50 - 65	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Drain Coupling	DC65A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/Cu/PE/Gal	50 - 65	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Drain Coupling	DC75A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/Cu/PE/Gal	50 - 65	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Drain Coupling	DC95A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/Cu/PE/Gal	80 - 95	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Drain Coupling	DC115A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	100 - 115	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Drain Coupling	DC125A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	110 - 125	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Drain Coupling	DC135A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	120 - 135	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco	Flexseal Drain Coupling	DC150A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	135 - 150	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Drain Coupling	DC165A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	150 - 165	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Drain Coupling	DC175A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	160 - 175	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Drain Coupling	DC185A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	170 - 185	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Drain Coupling	DC195A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	180 - 195	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Drain Coupling	DC215A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	200 - 215	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Drain Coupling	DC225A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	210 - 225	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Drain Coupling	DC250A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	235 - 250	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco	Flexseal Drain Coupling	DC275A	Flexible coupling (metal-banded)	Flexible drain coupling for drainage use only	PVC/CI/VC/Cu/GRO P/DI/PE/Gal	260 - 275	Type B	EPDM Rubber Grade 1.4401 (316) Stainless Steel
Fernco PlumbQwik	1006-100M	1006-100	Flexible coupling (metal-banded)	Grey Adaptor Coupling	Drainage	DN100 PVC/EW	Type A	Flexible PVC
Fernco PlumbQwik	1006-150M	1006-150	Flexible coupling (metal-banded)	Grey Adaptor Coupling	Drainage	DN150 PVC/EW	Type A	Flexible PVC
Fernco PlumbQwik	1006-225M	1006-225	Flexible coupling (metal-banded)	Grey Adaptor Coupling	Drainage	DN225 PVC/EW	Type A	Flexible PVC
Fernco PlumbQwik	1056-100M	1056-100	Flexible coupling (metal-banded)	Grey Straight Coupling	Drainage	DN100	Type A	Flexible PVC
Fernco PlumbQwik	1056-100/90M	1056-100/90	Flexible coupling (metal-banded)	Grey Adaptor Coupling	Drainage	DN100/DN90	Type A	Flexible PVC
Fernco PlumbQwik	1056-150M	1056-150	Flexible coupling (metal-banded)	Grey Straight Coupling	Drainage	DN150	Type A	Flexible PVC
Fernco PlumbQwik	1056-225M	1056-225	Flexible coupling (metal-banded)	Grey Straight Coupling	Drainage	DN225	Type A	Flexible PVC
Fernco PlumbQwik	1056-40M	1056-40	Flexible coupling (metal-banded)	Grey Straight Coupling	Drainage	DN40	Type A	Flexible PVC

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Nominal Size	Classification	Material
Fernco PlumbQwik	1056-40/32M	1056-40/32	Flexible coupling (metal-banded)	Grey Adaptor Coupling	Drainage	DN40/DN32	Type A	Flexible PVC
Fernco PlumbQwik	1056-50M	1056-50	Flexible coupling (metal-banded)	Grey Straight Coupling	Drainage	DN50	Type A	Flexible PVC
Fernco PlumbQwik	1056-50/40M	1056-50/40	Flexible coupling (metal-banded)	Grey Adaptor Coupling	Drainage	DN50/DN40	Type A	Flexible PVC
Fernco PlumbQwik	1056-65M	1056-65	Flexible coupling (metal-banded)	Grey Straight Coupling	Drainage	DN65	Type A	Flexible PVC
Fernco PlumbQwik	1056-80M	1056-80	Flexible coupling (metal-banded)	Grey Straight Coupling	Drainage	DN80	Type A	Flexible PVC
Fernco PlumbQwik	1056-90M	1056-90	Flexible coupling (metal-banded)	Grey Straight Coupling	Drainage	DN90	Type A	Flexible PVC
Fernco PlumbQwik	E042-042	E042-042	Flexible coupling (metal-banded)	Grey Straight Coupling	Drainage	DN40	Type A	Flexible PVC
Fernco PlumbQwik	E050-042	E050-042	Flexible coupling (metal-banded)	Grey Adaptor Coupling	Drainage	DN50/DN40	Type A	Flexible PVC
Fernco PlumbQwik	E058-038	E058-038	Flexible coupling (metal-banded)	Grey Adaptor Coupling	Drainage	DN50/DN40	Type A	Flexible PVC

END RECORD

END RECORD



 Chief Executive Officer of the IAPMO Group